

Galloping Goose #5 - Equipment listing rev. 06/27/15

Item		
Frame	Pierce Arrow 1926 "33"	
Body	Wayne Bus Body 1945	
Front truck		
Drive Axle	1926 Ford AA Truck	
Trailing Axle		
Engine	1945 GMC 6 cyl Engine Series "361"	WWII Surplus "Vehicles of Victory" (Used GMC 361 in storage)
Transmission Spicer Brown-Lipe	Model #	5 spd. 2-5 synchronized R and 1st (low "granny") un-synchronized. Lift ring on shifter to use Reverse (Used transmission in storage.)
Carburetor	Stromberg & Zenith 23 Series	
Carburetor Choke	manual	
Air Compressor Type U	Bendix-Westinghouse Automotive Air Brake Co.	Bendix "Tru Flo" model 227432
Type D-2 Governor	controls the air compressor max and min sensing the reservoir pressure.	Max 80 psi and compressor kicks in at 70 psi.
Starter	3 oil cups on top, Note: 4th one accessible only when starter is removed	Note: remove starter to access rear oil cup before excursion season.
Generator	converted to 12 volt alternator in original generator housing	Rewound in Cortez
Generator Regulator	12 volt	Spare Regulator has been polarized.

Item		
Pilot Bearing	Replacement Part #303-cc Car Quest	
Fuel Filter	Carquest P/N 86032 (5/16" nipples)	
Points and Condenser for GMC 361 CID inline 6 cyl. truck engine	Points adjust 0.020" Condenser not part number	NAPA CS763A Condenser NAPA RR 174 20-25 micro farad
Drive chains.	100 pitch chain - Steve at John Deere in Alamosa CO	10 ft. of chain with 3 half links for each side
Spark Plugs	0.035 = current practice Per GMC Tune up data Before 1946 0.025" After 1946 0.030"	Autolite 86 NGK 5858 (VRB?)
Firing Order	1 4 2 6 3 5	Note: not the sequence stamped on the Engine or Manifold
Fuel Filter in line type with 5/16th" nipples		Duralast FF3424 Carquest 86032 (specify with 5/16" nipples)
Rotor		NAPA #RR83
Rotor (distributor) Cap		NAPA #RR95
Air liquid separator	Speedaire with 1/4" comp. fittings	6ZC24 (NAPA says it's from Grainger - no longer available 2/2015)
Fuel Additive for Unleaded Gas	Lead substitute 1 pt./30 gal tank	
Oil Filter		WIX51005 CarQuest 85005

Item		
Oil Capacity	Rotella SAE 15 - 40 (from Shell - non foaming)	8 qts. plus one for the filter 8 qts. observed to be 1/2 way up the "add range".